


Creating An Addon

Setup a new project then right click the project and create a directory called libs.

Once that is done drag in the latest version of ISets

Download example project [here](#)



Setting up the pom.xml

You will have to add a dependency pointing to ISets in the libs folder, and you will also need to add a dependency for the spigot api

```
<dependency>
  <groupId>org. insurgedev</groupId>
  <artifactId>insurgencesets</artifactId>
  <version>LATEST</version>
  <scope>system</scope>
  <systemPath>${project. basedir}/libs/ISets- 0. 0. 7- beta. jar</systemPath>
</dependency>
<dependency>
  <groupId>org. spigotmc</groupId>
  <artifactId>spigot- api</artifactId>
  <version>1. 20. 2- R0. 1- SNAPSHOT</version>
</dependency>
```

Setting up the main class

```
package org. insurgedev. setaddon. example;

import org. insurgedev. insurgencesets. api. addon. ISetsAddon;
import org. insurgedev. insurgencesets. api. addon. InsurgenceSetsAddon;
import org. insurgedev. insurgencesets. libs. fo. Common;
import org. insurgedev. insurgencesets. models. currency. CurrencyManager;

@ISetsAddon(name = "ExampleAddon", version = "1. 0. 0", author = "Insurgence Dev Team",
description = {"This is a test", "addon it serves no purpose", "other than for testing"})
public class ExampleAddon extends InsurgenceSetsAddon {

  @Override
  public void onAddonStart() {
  }

  @Override
  public void onAddonReloadablesStart() {
  }
```

```

@Override
public void onAddonReload() {
}

@Override
public void onAddonStop() {
}

}

```

Creating a config for your addon

Create a new class and name it whatever you want, then extend AddonConfig.

In the constructor, use loadAddonConfig(). First argument is the location to the default config located in resources.

```

package org.insurgencedev.setaddon.example;

import org.insurgencedev.insurgencesets.api.addon.AddonConfig;

public class CustomConfig extends AddonConfig {

    public static String TEST_STRING = null;

    public CustomConfig() {
        loadAddonConfig("config.yml", "config.yml");
    }

    @Override
    protected void onLoad() {
        TEST_STRING = getString("Test");
    }

}

```

Revision #6

Created 15 November 2023 22:19:47 by Dragon

Updated 18 March 2024 06:52:26 by Hxtch